


T8 5FT LED TUBE SPECIFICATIONS




Specifications			
Product model	imag-22W-T8-5FT-S3528-N360-L7-3.1G		
Product Description	The T8 LED tube is made of Aluminum and covered with transparent/milky white polycarbonate. It can replace traditional 36W T8 fluorescent tubes.		
Certification	CE RoHS		
Lamp Base	G13		
Total Power(W)	22W		
Input Voltage	85V~265VAC		
Rated Frequency	50~60Hz		
LED Current (Constant Current)	20mA		
LED type	SMD3528 LED		
Color Rendering Index(Ra)	>75%		
Number of LEDs	360 pcs		
Luminous flux of one led at 20mA	6-7 lm		
Color	Cool White	Nature White	Warm White
Color Temp(CCT)	5500K-6500K	4250K-4750K	2700K-3200K
Luminous Output(lm)	1550±15% lm - 2150±15% lm		
Beam Angle	170 degrees		
LED Life Span	Rated 50,000 hours under standard test conditions		
Operation Temperature	-20°C ~ +60°C		
Storage Temperature	-20°C ~ +60°C		
Use	Indoor		
Motion Sensor	No		
Dimmable	No		
Work with Emergency Power Pack	Yes		
Replaceable Power Supply	Yes		
Material			
LED Brand	Epistar or equivalent		
Housing	Aluminum		
Housing Color	Silver White		
Optics	PC		
Packing			
Product Weight(kg)	0.55		
Packing Dimension(LxWxH)(cm)	157*24*21		
PCs/Box	20 pcs		
Gross Weight(kg)	14		
Net Weight(kg)	11		

Dimension



TUBE SIZE



DRIVER SIZE

Specification is subject to change without notice. Actual values may vary from stated figures. We will not be liable for losses arising from the use of the specifications.

© Huge Inventions. imag is the trademark of Huge Inventions. All rights reserved.